

Bavaria

Axial extract fan equipped with a decorative front panel, high air flow and low energy consumption

- Casing material: Plastic
- Humidity sensor

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m³/h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Humidity sensor	Timer	Number of speeds
Bavaria 100	100	8	85	27	✗	✗	✗	1
Bavaria 100 S	100	8	85	27	✓	✗	✗	1
Bavaria 100 T	100	8	85	27	✗	✗	Turn off timer	1
Bavaria 100 TR	100	8	85	27	✗	✗	Turn off timer, Turn on timer	1
Bavaria 100 ST	100	8	85	27	✓	✗	Turn off timer, Turn on timer	1
Bavaria 100 H	100	8	85	27	✗	✓	Turn off timer, Turn on timer	1

 Bavaria 100 SH	100	8	85	27	✔	✔	Turn off timer, Turn on timer	1
 Bavaria 100 (220-240V/60Hz)	100				✖	✖	✖	1
 Bavaria 100 (220-240V/60Hz) S	100				✔	✖	✖	1
 Bavaria 100 (220-240V/60Hz) T	100				✖	✖	Turn off timer	1
 Bavaria 100 (220-240V/60Hz) TR	100				✖	✖	Turn off timer, Turn on timer	1
 Bavaria 100 (220-240V/60Hz) ST	100				✔	✖	Turn off timer, Turn on timer	1
 Bavaria 100 (220-240V/60Hz) H	100				✖	✔	Turn off timer, Turn on timer	1
 Bavaria 100 (220-240V/60Hz) SH	100				✔	✔	Turn off timer, Turn on timer	1
 Bavaria 125	125	18	155	32	✖	✖	✖	1
 Bavaria 125 S	125	18	155	32	✔	✖	✖	1
 Bavaria 125 T	125	18	155	32	✖	✖	Turn off timer	1
 Bavaria 125 TR	125	18	155	32	✖	✖	Turn off timer, Turn on timer	1

 Bavaria 125 ST	125	18	155	32	✔	✖	Turn off timer, Turn on timer	1
 Bavaria 125 H	125	18	155	32	✖	✔	Turn off timer, Turn on timer	1
 Bavaria 125 SH	125	18	155	32	✔	✔	Turn off timer, Turn on timer	1